

INDEX MAPS.

T. 23N, R. 7E. 2nd Mer.

				180	180	179		
6	5	4	3	188	2	184	1	179
				188	188	183		
7	8	9	10	187	11	183	12	179
				187	187	182		
18	17	16	15	187	14	182	13	178
				186	186	182		
19	20	21	22	186	23	182	24	178
				185	185	181		
30	29	28	27	185	26	181	25	178
				185	184	181		
31	32	33	34	184	35	180	36	177
				177	177	177		

T. 24N, R. 7E. 2nd Mer.

				194	194	193		
6	5	4	3	201	2	197	1	193
				202	201	197		
7	8	9	10	200	11	197	12	193
				202	200	197		
18	17	16	15	200	14	196	13	193
				202	199	196		
19	20	21	22	199	23	196	24	192
				202	199	195		
30	29	28	27	199	26	195	25	192
				201	198	195		
31	32	33	34	198	35	194	36	192
				191	191	191		

The figures on the lines refer to the page.

Township N. 24 North, Range N. 7 East 2. Mer. Ind. 191

Township Lines.

Chs. 1st South Boundary. Var. E. 15. E.
Bearings at corner of T. 23 & 24 N, R. 7 & 8 E
an Ash 10 in. dia. bears S 78° 41' W 11 Ms. dist. 8
an W. Oak 48 " " S 62° E 17 " "

West on the S. Boundary of Sec. 36

12.00 a Beech 20 in. dia.

18.00 a creek 50 Ms. wide course NE

40.00 set of sec. post from which

a Hickory 7 in. dia. bears S 66° E 27 Ms. dist. 8
an Ash 8 " " " S 63° W 22 " "

58.30 a Branch 20 Ms. wide course NE

59.03 an Ash 18 in. dia.

80.00 set post cor. of sec. 35 & 36 from which

an Elm 24 in. dia. bears N 37° E 18 Ms. dist. 8

a Do 12 " " " S 29° W 22 " "

Rich land. Timber Beech, Sugar, Ash &
Wp. Spice

West on the S. Boundary of Sec. 35

40.00 set of sec. post from which

a Poplar 9 in. dia. bears S 83° E 19 Ms. dist. 8

a B. Oak 30 " " " N 73° W 21 " "

50.50 a Sugar 12 " "

80.00 set post cor. of sec. 34 & 35 from which

an Ash 6 in. dia. bears S 50° E 6 Ms. dist. 8

a Do 6 " " " N 57° W 15 " "

Land &c. same as last described.

West on the S. Boundary of Sec. 34

38.64 Intersect E. Boundary of Miami Reserve,
set post from which

an Ash 24 in. dia. bears S 53° W 12 Ms. dist. 8

a W. Oak 12 " " " S 80° E 17 " "

(Description of land &c. omitted.)

192

T. H. N., R. 7 E. 2. Mer. Ind.^a
 Chas. W.

East Boundary. Var. 6.30 E.

North on the E. Boundary of Sec. 36

18.40 a Sugar 14 in. dia.

39.60 a creek 60 Yds. wide course NE

40.00 set of sec. part from which

a Buckeye 10 in. dia. bears S 6 E 40 Yds. dist. &

(No other Bearing tree)

80.00 set part cor. of sec. 25 & 36 from which

an Ironwood 6 in. dia. bears S 38 E 9 Yds. dist. &

a Beech 16 " " " N 22 W 13 " "

Over good farming land. Timber Beech,
 Sugar, Ash &c.

North on the E. Boundary of Sec. 25

21.53 a Beech 14 in. dia.

25.00 a Brook 20 Yds. wide course NE

40.00 set of sec. part from which

a Beech 12 in. dia. bears S 36 E 27 Yds. dist. &

a Do 14 " " " N 35 W 14 " "

42.62 an Oak 30 " "

80.00 set part cor. of sec. 24 & 25 from which

a Beech 8 in. dia. bears S 52 W 17 Yds. dist. &

a Poplar 10 " " " N 71 E 5 " "

Land &c. same as last described.

North on the E. Boundary of Sec. 24

27.15 an Oak 12 in. dia.

40.00 set of sec. part from which

an Oak 36 in. dia. bears S 50 W 29 Yds. dist. &

a Beech 6 " " " N 58 E 3 " "

65.70 a Sugar 14 " "

80.00 set part cor. of sec. 13 & 24 from which

a Hickory 8 in. dia. bears S 41 E 27 Yds. dist. &

an Ash 13 " " " N 28 E 23 " "

Land &c. same as last described.

Sample

T. 24 N., R. 7 E. 2. Mer. Ind. a

Ch. 1st

North on the E. Boundary of Sec. 13

40.00 set of sec. post from which

a Beech 8 in. dia. bears S 76 E 8 Ws. dist. 3

an Elm 18 " " " N 87 W 18 " "

50.03 a Poplar 12 " "

80.00 set post cor. of sec. 12 & 13 from which

a Poplar 24 in. dia. bears S 50 W 12 Ws. dist. 3

a Beech 8 " " " N 75 E 2 " "

Land &c. same as last described

North on the E. Boundary of Sec. 12

23.90 a Sugar 14 in. dia.

33.50 a Brook 10 Ws. wide course E.

40.00 set of sec. post from which

a Sugar 10 in. dia. bears S 4 E 41 Ws. dist. 3

an Oak 12 " " " N 63 E 11 " "

73.70 an Ash 40 " "

80.00 set post cor. of sec. 1 & 12 from which

a Beech 12 in. dia. bears S 32 E 27 Ws. dist. 3

a Do 30 " " " S 85 W 30 " "

Land &c. same as last described.

North on the E. Boundary of Sec. 1

40.00 set of sec. post from which

a Beech 10 in. dia. bears S 48 W 10 Ws. dist. 3

a Do 10 " " " N 59 E 16 " "

50.50 a Sugar 12 " "

63.00 a Brook 7 Ws. wide course E.

80.00 set post cor. of T. 24 & 25 N, R. 7 & 8 E. from which

a Sugar 9 in. dia. bears S 18 E 13 Ws. dist. 3

a Beech 10 " " " N 7 E 39 " "

Land &c. same as last described.

North Boundary. Var. 6. 15. E.

West on the S. Boundary of Sec. 30, T. 25 N, R. 7 E

20.10 a Hickory 18 in. dia.

1944

T. 24 N., R. 7 E. 2^d Mer. Ind.
Chs. Skt.

40.00 set of sec. post from which
a Beech 10 in. dia. bears S 64 E 11 Ws. dist. 8
a Do 14 " " " N 85 W 24 " "

80.00 set post cor. of sec. 35 & 36 from which
a Beech 12 in. dia. bears S 84 E 10 Ws. dist. 8
a Do 8 " " " N 73 W 22 " "

Over wet land: Timber Beech, Ash, Elm &c.

West on the S. Boundary of Sec. 35, T 25 N, R 7 E

19.00 a Hickory 18 in. dia.

40.00 set of sec. post from which
an Oak 8 in. dia. bears N 62 E 9 Ws. dist. 8
a Beech 7 " " " N 89 W 14 " "

57.50 a Poplar 24 in. dia.

80.00 set post cor. of sec. 34 & 35 from which
a Sugar 8 in. dia. bears N 67 E 25 Ws. dist. 8
a Do 10 " " " S 76 W 22 " "
Land &c. same as last described.

West on the S. Boundary of Sec. 34, T 25 N, R 7 E

28.18 Intersect E. Boundary of Miami Reservation,
set post from which

an Elm 12 in. dia. bears N 27 W 6 Ws. dist. 8
an Ash 5 " " " S 61 W 19 " "

(Description of land &c. omitted)

April 6. 1820 John M. Donald

Deputy Surveyor.

Subdivision. Var. 6. 30. E.
North between Sec. 35 & 36

9.50 an Elm 28 in. dia.

40.00 set of sec. post from which
a Beech 12 in. dia. bears N 28 W 37 Ws. dist. 8
a Do 12 " " " S 70 E 9 " "

53.50 a Whitewood 48 " "

70.00 a Stream 10 Ws. wide curve E.

T. 24 N., R. 7 E. 2. Mer. Ind. a

Ch. 1. Ch. 1.

80.00 set post cor. of sec. 25, 26, 35 & 36 from which
a Beech 8 in. dia. bears N 50 W 25 Ws. dist. 8
a Do 18 " " " N 84 E 7 " "
Level excellent 2nd rate land. Timber Sugar,
Beech, Elm, Hickory, Walnut &c.

East on Random between Sec. 25 & 36

2.50 a Stream 10 Ws. wide course N.

40.00 set temp. of sec. post

80.45 Intersect the E. Boundary 180 Ws. N. of post—
Land level 2nd rate. Timber as last described.

West Corrected between Secs. 25 & 36

40.23 set of sec. post at aver. dist. from which
a Beech 12 in. dia. bears S 10 E 18 Ws. dist. 8,
a Sugar 30 " " " N 20 E 40 " "

80.45 to sec. cor.

North between Sec. 25 & 26

21.50 a Hickory 20 in. dia.

40.00 set of sec. post from which

an Ark 15 in. dia. bears S 45 E 4 Ws. dist. 8
a W. Oak 30 " " " N 10 E 24 " "

57.00 a W. Ark 20 " "

80.00 set post cor. of sec. 23, 24, 25 & 26 from which

a Beech 20 in. dia. bears S 25 E 19 Ws. dist. 8

a Do 10 " " " ——— 54 " "

Level 2nd rate land. Timber Sugar, Beech, Ark,
Elm, Hickory &c. Wgs. same

East on Random between Sec. 24 & 25

40.00 set temp. of sec. post

80.40 Intersect E. Boundary 110 Ws. N. of post—

Land level & excellent. Sugar, Elm, Beech &c.

West Corrected between Sec. 24 & 25

190

T. H. N., R. F. O. I. Mer. Ind. a

Chm. Eke?

40.20 set g. sec. post from which
 a Beech 12 in. dia. bears S 11 E 13 W. dist. 3
 a Do 18 " " " N 37 E 45 " "
 80.40 to sec. cor.

North between Sec. 23 & 24

31.00 a Beech 12 in. dia.

40.00 set g. sec. post from which
 a Syc 12 in. dia. bears West 7 W. dist. 3
 a Sycamore 10 " " " East 14 " "

55.50 a Beech 12 " "

80.00 set post cor. of sec. 13, 14, 23 & 24 from which
 an Elm 20 in. dia. bears ——— 20 W. dist. 3
 a Do 30 " " " ——— 42 " "
 Land level 2^d rate. Elm, Sugar, Beech, Ash &c.

East in Random between Sec. 13 & 24

40.00 set temp. g. sec. post

80.10 Intersect Co. Boundary 225 W. N. of post —
 Land level 2^d rate. Limber Ash, Beech, Elm,
 Syc, Sugar &c.

West Corrected between Sec. 13 & 24

40.05 set g. sec. post at aver. dist. (No Bearings)

North between Sec. 13 & 14

18.05 a W. Ash 28 in. dia.

40.00 set g. sec. post from which
 a Beech 6 in. dia. bears S 39 W 10 W. dist. 3
 a Hickory 20 " " " N 10 E 18 " "

63.50 an Elm 14 " "

80.00 set post cor. of sec. 14, 12, 13 & 14 from which
 a Beech 12 in. dia. bears S 45 W 26 W. dist. 3
 a Sugar 12 " " " N 75 E 26 " "
 Land level wet &c.

T. H. V., R. & O. L. Mer. Ind.

Ch. Sp.

East on Random between Sec. 12 & 13

40.00 set temp. gr. sec. post

79.40 Intersect E. Boundary 48 Ws. N. of post -

Land level 2nd rate. Timber Oak, Sugar, Beech,
Elm, Poplar &c. Upr. same

West Connected between Sec. 12 & 13

39.70 set gr. sec. post at aver. dint. from which

a Sugar 14 in. dia. bears S 20 E 19 Ws. dint. 2,
a Hickory 7 " " " N 11 W 16 " "

79.40 to sec. cor.

North between Sec. 11 & 12

11.29 an Elm 14 in. dia.

40.00 set gr. sec. post from which

an Elm 10 in. dia. bears N 10 E 11 Ws. dint. 2

an Ash 3 " " " S 12 W 2 " "

80.00 set post cor. of sec. 12, 11 & 12 from which

an Elm 20 in. dia. bears N 49 W 12 Ws. dint. 2

a R. Oak 8 " " " S 26 W 14 " "

Level 2nd rate land. Timber Oak, Ash, Hickory,
Sugar, Elm &c. Upr. the same

East on Random between Sec. 14 & 12

40.00 set temp. gr. sec. post

80.80 Intersect E. Boundary 23 Ws. N. of post -

Land &c. same as last described

West Connected between Sec. 14 & 12

40.40 set gr. sec. post at aver. dint. from which

a Poplar 20 in. dia. bears S 78 E 13 Ws. dint. 2

a W. Beech 5 " " " S 32 E 14 " "

80.80 to sec. cor.

North between Sec. 1 & 2

3.30 a W. Oak 25 in. dia.

J. H. N., R. 7 E. 2. Mer. Ind. a
Chas. L. H.

40.00 set of sec. post from which
 a Beech 10 in. dia. bears N 52 E 14 Ms. dist. 8
 an Ash 23 " " " N 70 W 11 " "

61.32 a Hickory 18 " "

82.04 Intersect N. Boundary 10 Ms. N. of post -
 set post at intersection cor. of sec. 1 & 2 from which
 a Beech 10 in. dia. bears N 28 W 11 Ms. dist. 8
 a Do 15 " " " N 87 E 25 " "
 Level &rato land. Timber Oak, Ash, Hickory,
 Beech, Sugar, Elm & Upr. the same
 November 16. 1823

North between Sec. 34 & 35

18.32 a Hickory 15 in. dia.

40.00 set of sec. post from which
 a B. Ash 8 in. dia. bears N 2 E 7 Ms. dist. 8
 a Do 7 " " " S 6 E 22 " "

54.00 a Hickory 4 in. dia.

80.00 set post cor. of sec. 26, 27, 34 & 35 from which
 an Elm 14 in. dia. bears S 15 E 12 Ms. dist. 8
 a Do 20 " " " N 70 E 14 " "
 Land excellent grass land. Timber Elm, Hickory,
 Ash, Walnut & Upr. Spice &c.

East on Ransom between Sec. 26 & 35

40.00 set temp. of sec. post

80.60 Intersect N. G. line 30 Ms. N. of post -
 Land level, very excellent for grass. Timber
 Ash, Oak, Hickory, Walnut, Sugar, & Upr. Spice &c.

West Corrected between Sec. 26 & 35

40.30 set of sec. post at aver. dist. from which
 a Beech 8 in. dia. bears S 31 E 21 Ms. dist. 8
 a Do 8 " " " N 50 W 16 " "

80.60 to sec. cor. November 15. 1823

T. H. V., R. 7 E. 2. Mer. Ind.^a

Chas. L. H.

North between Sec. 26 & 27

21.00 at B. Oak 36 in. dia.

40.00 set of sec. part from which

a Maple 10 in. dia. bears N 42° W 22 Ws. dist 23

an Elm 26 " " " S 25° E 15 " "

65.20 at B. Oak 36 " "

80.00 set part cor. of sec. 22, 23, 26 & 27 from which

an Elm 12 in. dia. bears S 50° E 21 Ws. dist 23

a Maple 18 " " " N 85° W 24 " "

Swampy land. Timber B. Ash, Elm, Maple
 & Ws. Spice &c

East on Random between Sec. 23 & 26

40.00 set temp. of sec. part

79.80 Intersect N & S. line

Land level & swampy. Timber same as last

West Corrected between Sec. 23 & 26

39.90 set of sec. part at aver. dist. from which

an Ash 4 in. dia. bears S 78° W 13 Ws. dist 23

a W. Oak 20 " " " N 42° E 43 " "

79.80 to sec. cor.

North between Sec. 22 & 23

From the above corner it continues to be swampy
 to the cor. of sec. 14, 15, 22 & 23

80.00 set part cor. of sec. 14, 15, 22 & 23 from which

an Ash 14 in. dia. bears N 53° W 8 Ws. dist 23

a Do 10 " " " S 53° E 20 " "

Land very swampy. Timber B. Ash, Maple,
 W. Ash &c Ws. the same

East on Random between Sec. 14 & 23

40.00 set temp. of sec. part

80.29 Intersect N & S. line 78 Ws. N. of part

Level swampy land. Ash, Elm &c Spice &c

T. 24 N., R. 7 E. 2. Mer. Ind.^o
Chr. Ek.

West Corrected between Sec. 14 & 23

40.15 set gp. sec. post at aver. dint. from which
a Water Beech 4 in. dia. bears S 23° W 7 1/2 M. dint. 8
an Arh 3 " " " N 82° W 14 " "
80.29 to sec. cor.

North between Sec. 14 & 15

10.58 a Bur Oak 14 in. dia.

40.00 set gp. sec. post from which
a Beech 14 in. dia. bears West 13 M. dint. 8
an Elm 16 " " " S 68° E 13 " "

54.50 a Bur Oak 14 " "

80.00 set post cor. of sec. 10, 11, 14 & 15 from which
an Elm 12 in. dia. bears S 19° E 12 M. dint. 8
a Beech 5 " " " N 44° W 22 " "
Land very level rich. Timber B. Arh, Elm &c.

East on Random between Sec. 11 & 14

40.00 set temp. gp. sec. post

81.03 Intersect N. & S. line 45 M. N. of post—
Land rather swampy. Timber B. Arh, Elm &c.
Upr. the same

West Corrected between Sec. 11 & 14

40.51 set gp. sec. post at aver. dint. from which
a Beech 10 in. dia. bears S 40° W 21 M. dint. 8
a Do 15 " " " N 35° E 18 " "

81.03 to sec. cor.

North between Sec. 10 & 11

15.00 a Beech 18 in. dia.

40.00 set gp. sec. post from which
a Cottonwood 30 in. dia. bears N 50° W 12 M. dint. 8
an Ironwood 5 " " " S 42° E 8 " "

58.00 an Arh 12 " "

80.00 set post cor. of sec. 2, 3, 10 & 11 from which

T. 24 N., R. 7 E., S. 2. Mer. Ind.^e
 Chr. Elk?

a Sugar 20 in. dia. bears S 12 E 30 Ws. dist. 8
 a Beech 10 " " " N 27 W 10 " " "
 Land flat & swampy. Timber as before

East in Random between Secs. 2 & 11

40.00 set temp. of sec. post

80.72 Intersect N. S. line 28 Ws. N. of post -
 Land swampy. Timber Ash, Elm &c.

West Corrected between Secs. 2 & 11

40.36 set of sec. post at aver. dist. from which
 a Maple 5 in. dia. bears S 73 E 25 Ws. dist. 8
 a Lym 7 " " " N 69 W 10 " " "

80.72 to sec. cor. The last Saturday in Nov^r 1823

North between Secs. 2 & 3

25.50 a Beech 16 in. dia.

40.00 set of sec. post from which

a Beech 10 in. dia. bears N 45 W 8 Ws. dist. 8
 a As 8 " " " S 47 E 10 " " "

60.50 a Poplar 10 in. dia.

82.72 Intersect N. Boundary 50 Ws. W. of post -
 set post at intersection cor. of Secs. 2 & 3 from wh.
 a Lym 20 in. dia. bears N 31 W 26 Ws. dist. 8
 a Beech 14 " " " S 44 E 25 " " "
 First half mile swampy, last half mile
 2^d rate. Timber Sugar, Elm, Walnut, Beech,
 Ash, Hickory &c. Ulp. Spice, Swamp Oak &c.
 November 28, 1823

West between Secs. 27 & 34

30.50 Intersect E. Boundary of Miami Reserve,
 set post from which

a Water Beech 4 in. dia. bears N 14 E 30 Ws. dist. 8
 an Ash 24 " " " S 50 E 29 " " "

Level wet land. Timber mostly B. Ash

T. 24 N., R. 7 E. 2. Mer. Ind.^a
Chs. &c.

West between Secs. 22 & 27

*34.87 Intersect E. Boundary of Miami Reserve,
 set part from which
 a Beech 14 in. dia. bears S 70° W 15 W. dist. 8
 a Gum 12 " " " N 73° E 24 " "
 Land swampy.*

West between Secs. 15 & 22

*33.00 Intersect E. Boundary of Miami Reservation,
 set part from which
 a Sugar 14 in. dia. bears N 55° E 25 W. dist. 8
 a Beech 12 " " " S 17° E 30 " "
 B. Ark Swamp*

West between Secs. 10 & 15

*31.10 Intersect E. Boundary of Miami Reservation,
 set part from which
 a Beech 15 in. dia. bears N 55° E 15 W. dist. 8
 a Do 12 " " " S 15° W 20 " "
 Land &c. same as last described.*

West between Secs. 3 & 10

*28.50 Intersect E. Boundary of Miami Reservation,
 set part from which
 a Maple 20 in. dia. bears S 25° E 24 W. dist. 8
 an Elm 12 " " " N 47° W 5 " "
 Land &c. same as last described.*

*John Hendricks
 Deputy Surveyor.*

203
T. 24 N., R. 7 E. 2^d Mer. Ind.^a
Chas. Sh.

I certify that the foregoing transcript
of Field Notes of the survey of Township N.^o
24 North, of Range N.^o 7 East of the 2^d
Principal Meridian, in the State of Indiana
has been compared with the original on file
in this office, and found to be correct.
Surveyor General's Office,
Cincinnati, March 6, 1845
William Johnston
Sur. Genl.

INDEX MAPS.

T.24N. R.7 E . 2^d Mer.

433	433	433	434		
436 6	463 5	452 4	441 3	2	1
462	461	457	445		
436 7	461 8	450 9	443 10	11	12
460	459	449	442		
436 18	459 17	449 16	441 15	14	13
458	457	448	444		
435 19	457 20	447 21	440 22	23	24
456	455	447	439		
435 30	454 29	446 28	439 27	26	25
453	453	445	438		
434 31	452 32	445 33	437 34	35	36
431	431	432	432		

T.25N. R.7 E . 2^d Mer.

469	465	462	460		
472 6	493 5	483 4		3	2
443	492	482			
472 7	491 8	481 9		10	11
491	490	481			
471 18	489 17	481 16	477 15	14	13
489	488	480	476		
471 19	487 20	480 21	475 22	23	24
487	486	479	475		
470 30	485 29	479 28	474 27	26	25
485	484	478	473		
470 31	484 32	477 33	473 34	35	36
467	467	468	468		

Meanders from page 494. Claims from page 496

The figures on the lines refer to the page.

Township No. 24 N. Range No. 7 E. 2nd Mer. Indiana
Chs. Lks.

South Boundary.

Var. 4.40' E.

189.36 On S. Boundary of Sec. 31.

Witness Cor. to Towns 23 & 24 N. Ranges 6 & 7 E.

a Beech 14 in. diam. to N. 17 W. 53 Lks. &

a Lp 16 " " " 4.30 E. 49 "

3.77 a Beech 8 " " "

42.55 Set 2nd Sec. post p. wh.

a Beech 12 in. diam. to N. 68 E. 21 Lks. &

a Lp 12 " " " 1.62 N. 16 "

47.07 a W. Oak 12 " " and enter
Low wet Land N. & S.

57.00 a Trail N. & S.

62.00 a Stream 10 Lks. wide co. North by
sluggish - muddy Bottom

63.00 Leave Low wet Land

82.55 Set post Cor. to Secs. 31 & 32 p. wh.

a Beech 12 in. diam. to N. 51 W. 21 Lks. &

a Lp 10 " " " N. 42 E. 24 "

Land low wet fine rate
clay soil - W. B. Ash, Maple, Elm,
Oak, Sycamore, Beech, White Wood
Ironwood, Sycamore - P. Ash & Spruce -

189.30 On S. Boundary of Sec. 32

4.28 a W. Oak 26 in. diam.

40.00 Set 2nd Sec. post p. wh.

an Elm 8 in. diam. to N. 1 E. 44 Lks. dis.

an Ironwood 6 " " " 4.13 E. 15 " "

43.00 Enter Low wet Land N. & S.

43.81 a B. Ash 10 in. diam.

50.00 Leave Low wet Land N. & S.

80.00 Set post Cor. to Secs. 32 & 33 p. wh.

a B. Ash 8 in. diam. to N. 57 W. 34 Lks. &

a Lp 16 " " " N. 42 E. 5 "

Land low & wet fine rate Clay

T. 24 N. R. 7 E. 2nd Mer. Indiana
Chs. Hs.

Soil - W. B. Ash. Elm. Lym. Sycamonde

N. 89.30' E. On S. Boundary of Sec. 33

454 a Lym 8 in. diam.

40.00 Set 2nd Sec. post p. wh.

a Beech 8 in. diam. N. 165 E. 27 lbs. &

a Do 8 " " " N. 129 E. 10 "

46.54 a Sugar 14 " "

50.00 a Whiggish Stream 8 lbs. wide co. Southly

72.50 Enter Cor. wt. Land N. 2 S.

80.00 Set post Cor. to Sec. 33 & 34 p. wh.

an Elm 14 in. diam. N. 41 E. 42 lbs. &

a Maple 6 " " " N. 53 W. 18 "

Land Soil & wt. fine rate Clay
Soil - Timbered with W. B. Ash. Elm.
Lym. Maple, Inf. Oak, Sycamonde
Spice & P. Ash -

N. 89.30' E. On S. Boundary of Sec. 34

6.66 an Elm 14 in. diam.

40.00 Set 2nd Sec. post p. wh.

a Beech 15 in. diam. N. 169 E. 27 lbs.

a Do 4 " " " N. 55 W. 44 "

41.46 Intersected E. Boundary of Resum at Old
Corner on the S. Boundary & took new bearings

a Beech 8 in. diam. N. 15 W. 37 lbs. dis.

a B. Ash 20 " " " N. 53 W. 12 " "

Land Soil & wt. fine rate
Clay Soil - Beech, Maple, Sycamonde
Oak, W. B. Ash. Lym. Elm. & Spice
& P. Ash. Nov. 15. 1846.

North Boundary

Var. 450' E.

Witness Cor. to Towns 24 & 25 N. R. 6 & 7 E.

a Sycamonde 20 in. diam. N. 29 E. 15 lbs. &

433

T. 24 N. R. 7 E. 2nd Mer. Indiana

chs. lks.

un Elm 20 in. diam. $\frac{1}{4}$ 29 W. 23 lbs. dia.
 N. 88.50 E. On S. Boundary of Sec. 31. T. 25 N. R. 7 E

18.55 a Sugar 15 in. diam.

38.69 Set 2nd Sec. post p. wh.

a W. Beech 6 in. diam. $\frac{1}{4}$ N. 23 W. 26 lbs. dia.

a Beech 14 " " " 45 E. 40 "

55.13 a Do 12 " "

78.69 Set post cor. to Sec. 31 & 32 p. wh.

a Sugar 15 in. diam. $\frac{1}{4}$ N. 67 E. 5 lbs. dia.

a Do 12 " " " N. 35 W. 44 "

Land here first rate - Beech
 Lycamora, Lym. W. & B. Oak, W. & B. Ash
 Elm, Sugar p. - P. Ash & Spruce

N. 88.50 E. On S. Boundary of Sec. 32. T. 25 N. R. 7 E.

23.55 a Beech 12 in. diam.

40.00 Set 2nd Sec. post p. wh.

a Beech 18 in. diam. $\frac{1}{4}$ N. 60 E. 13 lbs. dia.

a Do 12 " " " 78 W. 52 " "

46.59 a Maple 15 " "

49.50 a Hiram 15 lbs. wide cor. N. N. W.

Rapid - Muddy Bottom

54.00 a Road N. by E.

70.00 Enter Field N. & S. 3.00 each way

71.00 House on Line

75.00 Leave Field N. & S.

80.00 Set post cor. to Sec. 32 & 33 p. wh.

a W. Ash 20 in. diam. $\frac{1}{4}$ N. 61 W. 24 lbs. dia.

a Beech 12 " " " N. 37 E. 82 " "

Land here first rate - timber
 same as last mile -

N. 88.50 E. On S. Boundary of Sec. 33. T. 25 N. R. 7 E.

15.16 a Beech 12 in. diam.

24.00 a Road E. N. E.

40.00 Set 2nd Sec. post p. wh.

T. 24 N. R. 7 E. 2nd Mer. Indiana

Chalks

a Beech 12 in. diam. to N 17 E. 27 lbs. dia.
 a Do 12 " " " 126 W. 43 " "
 42.38 an Iron? 6 " "
 80.00 Set post Cor. to Sec. 33 & 34 p. wh.
 a Beech 6 in. diam. to N 51 E. 20 lbs.
 a Beech 6 " " " N 29 W. 51 "
 Land sold first rate. Timber
 same - Nov. 4. 1846.

188.50 On S. Boundary of Sec. 34. T. 25 N. R. 7 E.
 3.89 a B. Ash 8 in. diam.
 40.00 Set 2nd Sec. post p. wh.
 a Lym 12 in. diam. to N 18 W. 20 lbs.
 a Beech 12 " " " N 30 E. 69 "
 51.82 Intersected E. Boundary of Resum at
 Old post on Town Line
 Old bearings
 Land sold rather well
 W. B. Ash. Sycamore. Elm. Lym. Maple.
 White wood. Iron wood &c -

West Boundary.

Var. 420 East
 N. 10 W. On E. Boundary of Sec. 36 T. 24 N. R. 6 E.
 11.60 a Beech 12 in. diam.
 25.00 Enter B. Ash small E. & W.
 31.00 Leave Do E. & W.
 32.00 a Road E. N. E.
 40.00 Set 2nd Sec. post p. wh.
 a Beech 6 in. diam. to N 43 E. 50 lbs. x
 a W. Ash 12 " " " N 83 W. 40 "
 62.80 a Sycamore 20 " "
 80.00 Set post Cor. to Sec. 25 & 36 p. wh.
 a B. Ash 15 in. diam. to N 35 W. 44 lbs. x
 a W. Ash 20 " " " N 48 W. 23 "
 Land sold rich clay soil. rather

435

T. 24 N. R. 7 E. 2nd Mer. Indiana.
 Ch. Lk.

to wit, Elm. W. B. Ash. Sycamore. Sym.
 Hickory W. Wood. Maple. Sugar. Ironwood
 Beech. Boxwood & Spice & P. Ash.

-
- N. 10' W. On E. Bounded, of Sec. 25 T. 24 N. R. 6 E.
 20.70 a Sugar 10 in. diam.
 32.00 Enter low B. Ash w/ L. and E. & W.
 40.00 Set 2nd Sec. post p. wh.
 an Elm 12 in. diam. to N. 80 E. 20 lbs. &
 a B. Ash 8 " " " 47 W. 20 "
 65.00 Leave w/ L. and E. & W.
 66.33 a Sycamore 10 in. diam.
 80.00 Set post Cor. to Sec. 24 & 25 p. wh.
 an Ironw^d 8 in. diam. to N. 42 W. 30 lbs. dis.
 a Beech 8 " " " N. 26 W. 17 " "

Land level & rich first rate
 clay soil - Elm. B. Ash. Sym. Sycamore.
 Hick. W. Wood. Sugar. Maple. Ironwood.
 Beech. Boxwood & Spice & P. Ash.

-
- N. 10' W. On E. Bounded, of Sec. 24. T. 24 N. R. 6 E.
 19.40 an Elm 20 in. diam.
 35.00 Enter low B. Ash & Land - N. W. N. E.
 40.00 Set 2nd Sec. post p. wh.
 an Elm 20 in. diam. to N. 37 W. 20 lbs. dis.
 a B. Ash 10 " " " N. 80 E. 58 " "
 65.00 a W. Ash 24 " "
 80.00 Set post Cor. to Sec. 13 & 24 p. wh.
 a Beech 12 in. diam. to N. 37 W. 39 lbs. dis.
 an Elm 18 " " " 47 5 W. 12 " "

Land level w/ L first rate clay
 soil - W. & B. Ash. W. B. Oak. Sym. Sycamore.
 B. Walnut. Beech. Hick. Sugar. Maple.
 Ironw^d. White Wood. Boxwood. Cherry
 Mulberry & - Spice & P. Ash

T. 24 N. R. 7 E. 2nd Mer. Indiana

chs. lks.

N. 10th W. On E. Boundary of Sec. 13. T. 24 N. R. 6 E.

10.00 a W. Wood 36 in. diam.

40.00 Set 2nd Sec. post p. wh.

a B. Ash 6 in. diam. to N. 52 W. 32 lks. &

a Do 6 " " " N. 73 E. 18 "

54.75 an Elm 10 " "

56.00 Scarce Low swampy Land E. & W.

80.00 Set post Cor. to Secs. 12 & 13 p. wh.

a Beech 12 in. diam. to N. 5 W. 48 lks. dis

a Do 8 " " " S. 54 W. 25 "

Land here w/ rich pine rat-
clay soil - W. B. Ash. Elm. W. Wood. Lym.
Sycamore. Buckeye. B. Walnut. Hickory.
Sugar. Beech. Ironw. Lym. Maple.
Butternut - Spruce & P. Ash.

N. 10th W. On E. Boundary of Sec. 12. T. 24 N. R. 6 E.

21.50 a Road E. & W.

26.05 a Beech 10 in. diam.

40.00 Set 2nd Sec. post p. wh.

a Beech 8 in. diam. to N. 5 E. 10 lks. &

a Do 12 " " " N. 88 W. 35 "

53.30 a Sugar 12 " "

66.50 a House 100 West

72.50 a Run 10 lks. wide co. N. W.

80.00 Set post Cor. to Secs. 1 & 12 p. wh.

a Beech 10 in. diam. to S. 9 W. 52 lks. &

a W. Ash 10 " " " N. 71 W. 72 "

Land here fine rate clay soil
timbered with Beech. Elm. Sugar. Ironw.
Lym. W. Wood. Maple. Oak. Sycamores
Buckeye. Hickory. W. B. & Blue Ash. B. Walnut.
Butternut. Maple - Spruce & P. Ash -

N. 10th W. On E. Boundary of Sec. 1. T. 24 N. R. 6 E.

2.50 a Stream 8 lks. wide co. N. W.

437

T. 24 N. R. 7 E. 2nd Mer. Indiana.

Chs. Mts.

- 3.50 a House 2.00 East
 20.00 a H. Oak 12 in. diam.
 40.00 Set 2nd Sec. just fr. wh.
 a Beech 12 in. diam. to N 62 W. 48 Hs. dis.
 a H. 10 " " " N 38 E. 33 " "
 44.64 a Beech 10 " "
 65.00 Enter Low Land E. & W.
 79.30 Interrupted at Town Cor. as
 previously established —
 (See beginning of 1st Bound. for Witsnips —
 Sana level wet clay soil
 first rate — Timber the same as
 last mile —

Surveyed Nov. 14. 1846. by
 John Mullett
 Asst. Surveyor.

Sub-division

var. 6.19' East

- North Between Sections 33 & 34
 5.00 Lean Ash Swamp
 10.15 a Beech 20 in. diam.
 12.50 Wilcox Improvement woods pasture
 17.00 a G. Ash 18 in. diam.
 20.00 Ash & Elm Swamp bars E. & W.
 33.00 Lean Swamp
 40.00 Established 2nd Sec. Co. p. wh.
 a Sugar 22 in. diam. to N 16 W. 22 Hs. dis.
 a Beech 10 " " " 4.6 E. 10 " "
 55.00 a Meadow
 56.00 Well 700 a log dwelling
 64.00 Lean Improvement
 69.00 State Road bars East from Kokomo
 to Jones-Borough
 70.25 an Elm 36 in. diam.
 80.00 Established Cor. to Secs. 27, 28, 33, & 34 p. wh.

24th N. R. & E. 2nd Mer. Indiana.
clo. M.

a W. Elm 8 in. diam. h. 140 ft. W. 18 lbs. dis.

a W. Oak 36 " " " 43 W. 38 "

Land from 5.00 Swamp, third
rate. Next 15.00 best second rate - Timber
W. Oak, Poplar, Sugar & Beech. Next 13.00

Swamp third rate - Last 47.00 gently
rolling good second rate Land. - Timber
W. Oak, G. Ash, Poplar, Walnut & Beech.

Timber in Swamp, Ash & Elm. - Thick
undergrowth, on dry Land of Spruce & Beech -

189.306. On Random Betwth Secs. 27 & 34

Variation 4.40' East.

10.00 Wet Marshy Land extends N. & E.

22.00 Lean wet Land

40.00 1st Temporary, poor

42.56 Intersected E. Boundary of Reservation
90 lbs. S. of post

Land from 10.00 best second
rate. Next 12.00 Swampy poor - Last 20.56
best inclined to be wet poor second rate

Timber on dry Land W. Oak, Hickory,
Lynn, Elm, & Beech. - Thick undergrowth,
of Spruce, P. Ash & Beech. - Timber on
Marshy Land S. Elm, Ash
and Maple -

188.24 W. Establish Line Betwth Secs. 27 & 34

a Beech 12 in. diam. h. 185 ft. W. 31 lbs. dis.

a Hickory 16 " " " 18 W. 33 " "

1.39 a Beech 18 " " "

3.00 1st 2nd Sec. post from north

a Poplar 40 in. diam. h. 151 W. 37 lbs. dis.

a Beech 8 " " " 14 W. 37 " "

4.31 an S. Ash 20 " " "

24.83 a Hickory 18 " " "

T. 24 N. R. 7 E. 2nd Mer. Indiana.

Chs. lks.

42.56 to Sec. Cor.

North Between Section 27 & 28 Var. 6.30 East

5.00 Ash & Elm Swamp, Extends E & W.

9.46 an Elm 24 in. diam.

11.50 Clear Swamp.

18.06 a Hickory 8 in. diam.

28.50 a Road bars N. W.

37.50 a Branch Elk. wide co. East

40.00 Set 2nd Sec. for path.

an Iron w. 8 in. diam. to N. 4 E. 12 lks. dist.

a Beech 6 " " " 19 M. 30 " "

47.00 a Sugar 22 " "

52.00 Swamp, Extends N. E.

59.00 Clear Swamp

65.58 a Sugar 16 in. diam.

80.00 Established Cor. to Secs. 21, 22, 27, 28 for path.

an Iron w. 8 in. diam. to N. 31 E. 10 lks. dist.

a Beech 8 " " " N. 18 W. 21 " "

Land from 5.00 to 1st Secor
rate - Next 6.00 Sup. poor - Last 6.25 1st
second rate - Timber on dry Land W.
Oak, Sugar, Lym. Poplar, & Beech
White, Spruce, Iron w. & Beech.
Timber in Swamp S. Ash
and Elm.

N. 8.30 E. On Random Plot. Secs. 22 & 27

Variation 4.40 East

20.00 a Road bars S. E.

33.50 a Creek 30 lks. wide co. N. W. Low
Banks slow current

40.00 Set Temp. post

44.75 Intersited E. Boundary of Indian

Reservation 10 lks. S. of post

Land this 44.75. 1st & second

440 T. 24 N. R. 7 E. 2nd Mer. Indiana
Chs. lks

rate. Timber W. Oak. Burr. Oak. Sugar,
Lynn. Poplar. & Beech. - Thick 11 in. gth.
of Spruce, Ironwood & Beech

188.33 W. Established Line Betw. Sec. 22 & 27
a Beech 18 in. diam. B. & L. 3 W. 25 lks. dis.
a Do 14 " " " N. 37 W. 25 " "
5.32 1/2 Sec. 22. Sec. 27. for p. wh.
a Burr. Oak 20 in. diam. B. & L. 56 E. 11 lks.
a Do 12 " " " N. 12 1/2 W. 37 "
15.10 a Beech 30 " "
31.00 a W. Oak 20 " "
44.75 to Sec. 20.

North Return Section 21 & 22
Variation 6.30 East.

7.57 a Road cross S. E.
12.00 a Branch 10 lks. wide cr. N. E.
18.00 a Small clearing
25.00 Large clearing
33.54 a Poplar 18 in. diam.
40.00 1/2 Sec. 22. Sec. 27. for p. wh.
a Beech 16 in. diam. B. & L. 12 W. 14 lks. &
a Do 18 " " " N. 29 W. 24 "
42.50 a Road cross S. E.
45.00 Wet Marshy Land
48.68 a Sycamore 26 in. diam.
51.00 a Creek 40 lks. wide cr. N. W.
Star Current
62.00 Large Marshy Land
73.29 a Beech 20 in. diam.
80.00 Established Cor. to Sec. 15, 16, 21, 22. for p. wh.
a Beech 14 in. diam. B. & L. 55 W. 5 lks. dis.
a Burr. Oak 30 " " " N. 55 E. 34 " "

The Creek at 51.00 is a part of
the head waters of Pipe Creek

441

T. 24 N. R. 7 E. 2nd Mer. Indiana.
chs. lks.

Land first 45.00 land good.
second rate Timber W. Oak, Sugar, Sycam.
and Beech. Next 17.00 Swamp, poor.
Timber Y. Ash, Elm, & Sycam. Last
18.00 Land second rate Timber W. Oak,
Sugar, Poplar & Beech — undr. & th.
Spice, P. Ash & Beech —

N. 88° 30' E. On Random Betw. Sec. 15 & 22

Variation 440' East

15.00 Marshy Land Extends N. & S.

19.00 Low Marshy Land

40.00 Set Temp. y. post

46.55 Intersected E. Boundary of Reservation
20 lks. S. of post

Land first 15.00 second rate
Next 4.00 Marsh poor. Last 27.55 land
second rate Timber W. Oak, Burr Oak,
Elm, Sycam. & Beech. — Thick growth of
Spice, P. Ash, & Beech. Timber in Marsh.
Y. Ash, Elm & Maple —

N. 88° 18' W. Established Line Betw. Sec. 15 & 22

a Beech 18 in. diam. N. 43° W. 25 lks. &

a Do 14 " " " N. 37° W. 25 "

6.78 Established 2nd Sec. post p. wh.

a Burr Oak 20 in. diam. N. 56° E. 11 lks. dia.

a Do 12 " " " N. 12° E. West 37 lks.

16.41 a Beech 24 " "

31.10 an Y. Elm 20 " "

46.55 to Sec. 6 cor

North Between Section 15 & 16

Variation 6° 30' East

16.64 a Burr Oak 20 in. diam

22.00 a Branch 8 lks. wide co. Y. W.

442 T. 24 N. R. 6 E. 2nd Mer. Indiana;
 chs. lks.

32.56 a Beech 20 in. diam.
 40.00 Set 2nd Sec. post p. wh.
 a Beech 8 in. diam. B. N. 36 W. 26 lks. &
 a Do 10 " " " N. 51 E. 31 "
 48.00 a Burr Oak 40 " "
 74.00 a Road bears S. 50 E.
 80.00 Established Cor. to Sec. 9, 10, 13, 16 p. wh.
 a Sycamore 14 in. diam. B. N. 19 E. 7 lks. &
 a G. Ash 8 " " " S. 40 W. 5 "

Land this 80.00 had good
 second rate. Timber W. Oak, Burr Oak
 Sugar, Sycm. Poplar & Beech. - Thick
 Undergrowth of Spice Shrubs & Beech -

N. 88.20' E. On Random Btmt. Sec. 10 & 15

Variation 4.40 East

10.00 Wet Marshy Land Extends N. 2 E.
 37.00 Lean Marshy Land
 40.00 Set 2nd Sec. post
 49.18 Intersected E. Boundary of Reservation
 26 lks. N. of post

Land first 10.00 had 2nd rate -
 Next 27.00 Marshy Land poor - Timber
 S. Elm. G. Ash. Maple - Last 12.18 had
 second rate - Timber on dry Land W. &
 R. Oak. Poplar. Sycm. & Beech - Thick
 Undergrowth of Spice. P. Ash & Beech -

S. 88.38' W. Established Line Btmt. Sec. 10 & 15

a Sugar 24 in. diam. B. S. 3 W. 90 lks. &
 an Ironw. 6 " " " N. 17 W. 20 "
 439 a Sycm 36 in. diam.
 9.09 Set 2nd Sec. post p. wh.
 a W. Elm 12 in. diam. B. S. 30 W. 6 lks. dis.
 a R. Oak 18 " " " S. 41 E. 24 " "
 34.21 an S. Elm 10 " "

443

T. 24 N. R. 7 E. 2nd Mer. Indiana,

cho. lks.

44.36 a Beech 20 in. diam.

49.18 to Sec. Cor.

North Return Sections 9 & 10

Variation 6.40' E.

15.00 a Branch 4 lks. wide ce. N. E.

16.09 a Beech 20 in. diam.

24.00 Ash & Maple Swamp Extends E. & W.

30.30 a Cottonwood 22 in. diam.

40.00 Set 2nd Sec. post p. wh.

a Maple 14 in. diam. 1st 4th 10 lks. dir.

a Loc 20 " " " 1st 5th E. 15 " "

48.50 Low Swamp

53.45 an Iron 1st 8 in. diam.

61.00 Ash & Maple Swamp Extends E. & W.

61.56 a G. Elm 30 in. diam.

80.00 Established Cor. to Sec. 3, 4, 9, 10 p. wh.

a G. Oak 10 in. diam. 1st 4th E. 3 lks. dir.

a Loc 12 " " " 1st 6th W. 10 " "

Land first 24.00 and second
rate - Next 24.50 1st poor third rate -

Next 12.50 and second rate - Last 19.00

Swamp third rate - Timber on dry

Land - W. & R. Oak, G. Ash, Elm, Poplar

Beech - Ungeth, Spruce, Norway Beech -

Timber in Swamps G. Elm, Ash & Maple

N. 88.40' E. On Random Return Sec. 3 & 10

Variation 4.40' East

35.00 Water in Swamp 2 to 3 feet deep, and
Willow alder & Red Birch -

40.00 Set Temp. post

51.40 Interrupted E. Boundary 30 lks. S. of post

Land this 51.40 all Swamp
poor soil - Timber G. Ash, G. Elm, Maple,
and Willow - Undergrowth

444

T. 24 N. R. 7 E. 2nd Mer. Indiana.

ch. lks.

Willow, Alder, & Ron Brien—

488.21 W. Established Line Betw. Sec. 3 & 10
 a Willow 8 in. diam. @ N. 10 W. 12 lks. &
 a Maple 20 " " " 4.50 E. 25 "
 11.70 Set 2nd Sec. post p. wh.
 an S. Ash 8 in. diam. @ N. 10 W. 10 lks. &
 a Maple 20 " " " 4.20 E. 40 "
 16.28 an S. Ash 10 " "
 31.54 an S. Elm 20 " "
 51.40 to Sec. Cor.

North Between Section 3 & 4 Var. 6.30 E.
 25.00 Leave Swamp to the N. E.

32.00 Swamp again Extends E. & W.

46.00 Set Temp. post

47.00 Leave Swamp

57.00 Road cross E. & W.

62.00 Wet Land extends N. E.

77.00 Leave wet Land

79.89 Intersected N. Boundary 50 lks. W. of post

Land first 25.00 Swamp, poor.

Next 7.00 wet second rate - Next 15.00

Swamp, poor - Next 10.00 wet second

rate - Last 17.89 wet wet second rate

Timber on Land in Swamp. S. Elm, Ash,

and Maple - Timber on dry & wet

Land W. Oak, Poplar, Sugar, & Beech -

Thick Undergrowth of Spice, P. Ash, & Beech -

S. 25 W. Established Line Betw. Sec. 3 & 4

a Beech 10 in. diam. @ 4.50 E. 30 lks. dis.

a Lym 20 " " " 4.44 W. 18 " "

10.14 a W. Elm 18 " "

31.22 a Beech 20 " "

39.89 Set 2nd Sec. post p. wh. -

445

T. 24 N. R. 7 E. 2nd Mer. Indiana,
cho. lks.

a W. Elm 30 in. diam. B. N 21 E. 40 lks. &
a Do 24 " " " 44 W. 17 "
48.61 an G. Ash 16 " "
70.39 a Do 18 " "
79.89 to Sec. Cor. March 29, 1847

North Return Sections 32 & 33 Var. 6° 30' E.
11.00 Clear Ash & Elm Swamp
36.36 a Hickory 24 in. diam.
40.00 Set 2^d Sec. post p. w. h.
a G. Ash 12 in. diam. B. N 35 W. 25 lks.,
a Hickory 8 " " " N 8 1/2 E. 9 "
54.00 Ash & Elm Swamp Extends E. & W.
63.00 an G. Ash 20 in. diam.
70.00 Clear Swamp
72.00 a Beech 20 in. diam.
78.00 State Road runs S. 80 E. from
Kokomo to Jones Borough
80.00 Established Cor. to Secs. 28, 29, 32, 33, p. w. h.
a Beech 10 in. diam. B. S. 28 1/2 W. 33
an H. Elm 20 " " " N. 51 1/2 E. 40 lks. dis.
Land from 11.00 Swamp this a
rate - Timber G. Ash & Elm. Next 43.00 here
second rate - Timber W. Oak, Lym. Gycamore
Elm, Poplar & Beech. Next 16 sup. poor -
Timber as before. Last 10.00 here second
rate Timber W. Oak, Sugar, Lym. and
Beech. - Underly Spruce & Beech -

N 89° 30' E. On Random Betw. Secs. 28 & 33
Variation 4° 40' East
40.00 Set Temp. post
67.00 Wet Land Extends N. & S.
78.00 Clear wet Land
80.24 Intersected N. & S. Line 65 lks. S. of post
Land from 67.00 here second

T. 24 N. R. 7 E. 2nd Mer. Indiana.
Chs. lks.

rate - Timber W. Oak, Sugar, Lym, Poplar,
and Beech. Next 11.00 wt third rate
Timber Y. Ash, & Elm. - Last 2.24 live
second rate - Timber as before -
Width - on dry Land - Spruce, P. Ash,
Ironwood & Beech -

189.03 W. Established Line Betw. Sec. 28 & 33

6.34 a R. Oak 24 in. diam.

20.25 an Y. Ash 12 " "

40.12 Set 2nd Sec. post p. wh.

a Y. Ash 14 in. diam. to West 7 lks. dis.

a Lym 30 " " " South 26 " "

58.55 a Sugar 12 " "

69.83 a Lym 20 " "

80.24 to Sec. Cor.

North Between Sections 28 & 29 Var. 6.30 E.

4.00 wt Marshy Land Extends W.

9.00 Clear wt Land

12.00 a Beech 20 in. diam.

18.50 wt Land Extends E. & W.

22.77 an Y. Oak 24 in. diam.

26.00 Clear wt Land

36.50 S. W. Cor. of an improvement clearing

40.00 Set 2nd Sec. post p. wh.

a B. Ash 6 in. diam. to N. 9 W. 64 lks. &

a Lym 12 " " " N. 1 W. 194 "

41.00 Clear Improvement

52.50 South Fork of Pipe Creek 75 lks. wide co

N. E. low Banks, slow Current

57.60 a Gray Ash 18 in. diam

80.00 Established Cor. to Sec. 20, 28, 29 p. wh

a Hick. 20 in. diam. to N. 5 W. 8 lks. dis

a Sugar 4 " " " Y. 78 E. 15 " "

Land for live second

T. 24 N. R. 7 E. 2nd Mer. Indiana ⁴⁴⁷
 chs. lks.

rate, Next 5.00 poor. Next 9.00 low 2nd
 rate Next 8.00 poor & swampy. - Last
 54.00 low second rate - Timber on dry
 Land W. B. Oak, Sugar, Lym. Elm.
 Poplar, & Beech. - Timber on wet Land
 S. Ash, Elm & Maple. - Thick undergrowth,
 on dry Land of Spruce, P. Ash & Beech -

N 89.30 E. On Random Bitter. Sec. 21 & 28
 Variation 4.40' east

40.00 Set Temp. pole
 42.00 S. Fork of Pipe Creek 75 lks. wide
 Low Banks, flow current N. E.
 60.00 a Road bears S. 30 E.
 80.68 Intersected N. Y. Line 8 lks. N. of post
 Land this 80.68 low good
 second rate - Timber W. Oak, Sugar,
 Walnut, Poplar & Beech. - Thick growth
 of Spruce, P. Ash & Beech -

N 89.33 W. Established Line Bitter. Sec. 21 & 28

19.93 a G. Ash 20 in. diam.
 30.63 a Beech 20 " "
 40.34 Set 2nd Sec. post, p. w. h.
 a G. Ash 20 in. diam. to 50th W. 11 lks.
 a Do 18 " " " N. 65 E. 21.
 66.68 a Sycamore 30 " "
 73.06 a Poplar 24 " "
 80.68 to Sec. Cor.

North Between Sections 20 & 21 Var. 6.30 E.

14.94 a G. Ash 24 in. diam.
 16.00 Wet Marshy Land Extends E & W.
 22.60 an S. Ash 8 in. diam.
 30.00 Clear wet Marshy Land
 30.98 a W. Oak 30 in. diam.

T. 24 N. R. 7 E. 2nd Mer. Indiana

Chs. lks.

- 46.00 Set 2nd Sec. post p. wh.
 a Beech 16 in. diam. E. N. 12 W. 23 lks.,
 a 2nd 20 " " " S. 15 E. 26 "
- 52.32 an Elm 36 " "
- 60.00 Wet Marshy Land extends S. W.
- 65.00 Clear 2nd
- 67.13 a Blue Ash 30 in. diam.
- 77.50 a Road bars S. E.
- 80.00 Established Cor. to Secs. 16, 17, 20, 21, p. wh.
 an Ironw. 6 in. diam. E. 43 E. 8 lks. &
 a Beech 22 " " " N. 72 W. 4 " "
- Land first 16.00 land 2nd rate - Next 14.00 Marshy poor - Next 30.
 land 2nd rate - Next 5.00 poor - Last
 15.00 land good second rate - Timber
 on dry Land W. Oak, Sugar Poplar,
 Elm & Beech. - Width. Spruce
 Ironwood, & Beech -
 Timber in Top. S. Elm, Ash & Maple

N. 89.30 E On Random Betw. Secs. 16 & 21 Var. 440 E

15.00 a Branch 8 lks. wide co. N. E.

40.00 Set 2nd Sec. post

58.00 Wet Marshy Land extends North.

64.00 South Fork of Pipe Creek, 75 lks. wide
 course N. low Banks, slow current69.00 Big Pipe Creek 100 wide co. N. W.
 Low Banks, slow current

72.00 Clear wet Land

80.30 Intersected N. & S. line at post

Land first 58.00 land
 second rate - Timber W. Oak, E. Ash,
 Sugar, Sym. Poplar & Beech Next
 14.00 wet poor Land - Timber Spr. Elm,
 ash & Willow - Last 8.30 land second
 rate - Timber W. Oak, Poplar, Ash & Beech

449

T. 24 N. R. 7 E. 2nd Mer. Indiana

Chs. 11th.

Thick Undergrowth of Spruce, P. Ash.
and Beech

189.30 W. Established Line Betw. Secs. 16 & 21
25.42 a W. Elm 18 in. diam.
35.63 a Beech 20 " "
40.15 1st 2nd Sec. from p. wh.
a Beech 20 in. diam. # 181 W. 21 N. 16 E.
a Do 16 " " " 189 E. 3 "
45.00 a Poplar 36 " "
65.20 a Beech 24 " "
80.30 to Sec. 100. March 30, 1847

North Return Section 16 & 17 Var. 6.30' E.
22.40 a Beech 20 in. diam.
32.16 a Poplar 36 " "
40.00 1st 2nd Sec. from p. wh.
a Beech 18 in. diam. # 160 E. 9 N. 21 W. 36 "
a Do 8 " " " N 21 W. 36 "
56.50 a Poplar 20 " "
61.00 a Road bars East
65.20 a W. Oak 18 in. diam.
71.00 a Beech 20 " "
80.00 Established Cor. to Secs. 8, 9, 16, 17, p. wh.
a Beech 12 in. diam. # 147 1/2 W. 8 N. 20 E. 11 "
a Sugar 18 " " " 120 1/2 E. 11 "
Land this 50.00 val second
rate Timber W. & B. Oak, Sugar, Spruce,
G. Ash & Beech - Thick Undergrowth of
Spruce, P. Ash. & Beech

N 89.30' E. On Random Betw. Secs. 9 & 16.
Variation 4.40' East
11.50 a Branch 5 lbs. wide co. N.
18.00 Wet Land
25.00 Pipe Creek 100 wide co. N. low Banks.

T. 24 N. R. 7 E. 2nd Mer. Indiana.

Chs. lks.

Now current

- 32.00 Clear wet Land
 38.50 a Branch 5 lks. wide co. S.W.
 40.00 Set Temp. post
 66.00 Ash & Elm Swamp. Extends N.W.
 75.00 Clear Swamp
 80.00 Intersected N.W. Line 5 lks. N. of post
 Land first 18.00 lks 2nd rate
 rate - Next 14.00 low wet Land 2nd rate.
 Next 34.00 lks Second. Timber W. Oak,
 Lym. Sugar, Elm & Beech. Next 9.00
 Chop. post - Last 5.00 lks second rate -
 Timber on dry Land W. Oak, Lym.,
 Sugar, Elm & Beech. - Undergrowth,
 Spice, Ironw. & Beech. Timber
 in Swamp G. Elm, Ash & Maple -

- 489.32 W. Established Lim Buttr. Sec. 9 & 16.
 10.36 an G. Elm 20 in. diam.
 25.74 a Beech 18 " "
 30.19 a Lym 20 " "
 40.00 Set 2nd Sec. post pr. wh.
 a Beech 22 in. diam. N. 39 $\frac{1}{2}$ E. 19 lks.
 a Buckeye 15 " " S. 22 W. 2 "
 50.13 a Lym 12 " "
 60.47 a Poplar 30 " "
 75.56 a G. Ash 20 " "
 80.00 to Sec. Cor.

- North Buttr. Section 8 & 9 var. 6.30 E.
 4.00 a Branch 5 lks. wide co. N. E.
 5.20 a Beech 20 in. diam.
 24.00 a Poplar 30 " "
 40.00 Set 2nd Sec. post pr. wh.
 a Beech 8 in. diam. N. 46 $\frac{1}{2}$ E. 18 lks.
 a Lk 8 " " " S. 58 W. 15 "

1151

T. 24 N. R. 7 E. 2nd Mer. Indiana.

chs. 16.

- 51.36 a Beech 20 in. diam.
 63.96 a Lym 18 " "
 71.35 an Elm 18 " "
 80.00 Established Cor. to Sec. 4, 5, 8, 9 p. 100.
 a G. Ash 8 in. diam. to N. 11 $\frac{1}{2}$ E. 12 lks. dis.
 a Do 6 " " " N. 50 $\frac{1}{2}$ W. 118 " "

Land this 80.00 here second rate
 Timber W. Oak, G. Ash, Lym, Sugar, Poplar,
 & Beech - Ungth. Spice, P. Ash & Beech.

N. 89.31 E On Random Butte Sec. 4 & 9
 Variation 4 $^{\circ}$ 40' East

- 1.00 Pipe Creek 1.00 wide course N. W.
 Low Bank, slow current
 23.00 a Branch 8 lks. wide co. G. W.
 40.00 Set Tensy, poor
 43.50 Branch again 5 lks. wide co. N. W.
 65.00 Ash & Maple Swamp
 79.60 Intersected by G. Lym 4 lks. N. of poor
 Land from 65.00 gently rolling
 second rate - Timber W. Oak, Sugar,
 Poplar, Lym & Beech - Thick Ungth.
 of Spice, P. Ash & Beech - Last 14 50
 Swamp poor - Tim. G. Ash, Elm, & Maple.

N. 89.31 E Established Line Butte Sec. 4 & 9

- 13.31 an G. Ash 10 in. diam.
 25.11 a Beech 24 " "
 35.68 a Lym 20 " "
 39.80 Established 2nd Sec. poor p. 100.
 a G. Ash 36 in. diam. to N. 60 $\frac{1}{2}$ E. 20 lks. dis.
 an Iron 8 " " " N. 5 $\frac{1}{2}$ W. 12 " "
 55.10 a Sugar 18 " "
 75.94 a Beech 12 " "
 79.60 to Sec. Cor.

452

S. 24 N. R. 7 E. 2nd Mer. Indiana.

Ch. lks

North Between Sections 4 & 5.

Variation 6.30' East

- 1.00 Pipe Creek 1.00 wide co. N. W.
 Low Banks slow current
 13.50 a Branch 5 lks. wide co. S. W.
 40.00 Set 2nd Sec. post & Temp. 91
 79.59 Intermittent N. Boundary, at post
 Cor. to Sec. 32 & 33. T. 25 N. R. 7 E. p. wh.
 a Birch 16 in. diam. b. 9.31 1/2 E. 12 lbs. &
 a Sugar 30 " " " 4.78 W. 21 "
 Lane this 79.59 gently rolling
 second rate timber W. Oak, G. Ash,
 Sugar, R. Elm & Beech - Thick
 Undergrowth of Ironw. Spice & Beech

South Establish a Line Betw. Sec. 4 & 5

- 10.15 a R. Elm. 20 in. diam
 30.55 a Spruce 10 " "
 35.60 a Beech 20 " "
 39.59 Set 2nd Sec. post p. wh.
 a Cherry 18 in. diam. b. 1.85 E. 19 lbs. &
 a Beech 8 " " " 1.38 1/2 E. 3 "
 59.74 a Sugar 18 " "
 65.10 a Beech 20 " "
 79.59 to Sec. Cor. March 31, 1847

North Between Sections 31 & 32 Var. 6.30' E.

- 4.45 a W. Oak 36 in. diam.
 20.67 a Beech 20 " "
 30.00 a Branch 8 lks. wide co W.
 32.80 a Hickory 36 in. diam.
 40.00 Set 2nd Sec. post p. wh.
 a W. Oak 15 in. diam b. 1.60 E. 31 lbs. &
 a R. Walnut 10 " " " 1.12 1/2 W. 33 " "
 50.13 a Beech 20
 57.00 State Road bars N. E.

Cormh?

453

T. 24 N. R. 7 E. 2nd Mer. Indiana

cks. lks.

- 59.00 South Fork of Pipe Creek 75 lks. wide
co. N. E. low Banks. slow current
- 60.77 a W. Elm 18 in. diam.
- 80.00 Established Cor. to Sec. 29. 30. 31. 32 p. wh.
a Beech 10 in. diam. N. 49 W. 21 lks. x
a Sugar 12 " " " N. 7 W. 37 "
- Land this 80.00 hold good
second rate - Timber W. Oak. Sugar. Poplar.
Lynn. Poplar. & Beech - Underly th.
Spice. P. Ash. Ironwood & Beech.

- 189.30 E. On Random Betwth Sec. 29 & 32. Var. 4. 40 E.
- 18.00 South Fork of Pipe Creek 75 lks. wide
co. N. E. low Banks. slow current
- 40.00 1st Temp. 7. 1st
- 60.00 a Branch 6 lks. wide co. W.
- 79.87 Interrupted N. 29. 1st at foot
- Land this 79.87 good second
rate - Timber W. Oak. Sugar. Ironwood
Lynn. Poplar. & Beech - Underly th. Spice
Ironwood & Beech

189.30 W.

- Established Sec. Betwth Sec. 29 & 32.
- 13.79 a W. Elm 20 in. diam
- 29.82 a Beech 20 " "
- 35.09 a Lynn 18 " "
- 39.93 Established 2nd Sec. 1st p. wh.
a Hickory 24 in. diam. N. 5 W. 27 lks. dis.
a Lynn 30 " " " N. 6 E. 26 " "
- 50.87 a Sugar 20 " "
- 60.20 a Beech 18 " "
- 79.87 to Sec. Cor.

- 189.30 W. On Random Betwth Sec. 30 & 31
Variation 4. 40 E. and
- 30.00 W. Land extends South.

454 T. 24 N. R. 7 E. 2nd Mex. Indiana

chs. lks.

46.00 Sel. Swampy, poor

55.00 Lean w/ L. Land

62.00 Ash & Elm Swampy

71.00 Lean Swampy

82.10 Intersected W. Boundary, 27 lks. S. of poor
Land from 30.00 level 2nd rate - Timber W. Oak, Poplar, Elm,
Sycam. Ash & Beech. Next 15.00 w/ L.
Land, third rate - Next 7.00 level
second rate - Timber W. Oak, Sugar,
Poplar, Sycam. & Beech. Next 9.00 Sup.
poor. Last 11.10 level second rate -
Timber as before - Under the Spruce
& Beech - In Sup. w/ L. Land, 4. Ash,
Elm & Maple

189.196. Established Line Betw. Secs. 30 & 31
an Ash 8 in. diam. to N. 54 W. 17 lks. dis.
a W. Elm 18 " " " N. 49 E. 37 " "

21.31 a G. Ash 20 " "

32.54 a Sycamore 20 " "

42.10 Sel 2nd Sec. poor p. w/ L.

an G. Ash 10 in. diam. to S. 44 W. 22 lks. S.

a W. Elm 22 " " " N. 59 E. 15 "

52.35 a G. Ash 30 " "

72.15 a Beech 20 " "

82.10 to Sec. 60.

North Section Sections 29 & 30 Van. 6.30 E.

3.00 W/ L. Land extends E. & W.

12.00 Lean w/ L. Land

13.75 a Poplar 28 in. diam.

30.66 a Sugar 18 " "

34.00 W/ L. Land extends S. & E.

46.00 Sel 2nd Sec. poor p. w/ L.

an G. Ash 16 in. diam. to S. 47 W. 30 lks. dis.

T. 24 N. R. 7 E. 2nd Mer. Indiana

455

chs. lks.

- an G. Ash. 10 in. diam. B. N 30 $\frac{1}{2}$ E. 17 lks. &
 46.72 a W. Elm. 36 " " "
 65.00 a Creek 30 lks. wide co. N 10 E. Low
 Banks. Slow current
 71.00 a W. Elm. 24 in. diam.
 80.00 Established Cor. to Sec. 19, 20, 29, 30 p. ash.
 an G. Ash 8 in. diam. B. N 33 $\frac{1}{2}$ E. 17 lks. dir.
 a Maple 20 " " " N 45 E. 20 " "

Land first 5.00 wrl second
 rate - Next 9.00 wrl second rate - Next
 22.00 wrl good second rate - Last
 46.00 wrl second rate - Timber on
 dry Land W. Oak, Sugar, Gum, Poplar &
 Beech - Timber on wet Land W. Oak,
 Elm, G. Ash, Poplar, Beech, & Maple.
 Thick Undergrowth of Spice, P. Ash, Ironw.
 and Beech

- N 89 $\frac{1}{2}$ 30 $\frac{1}{2}$ E. On Random Betw. Sec. 20 & 29. Var. 4 $\frac{1}{2}$ 40 $\frac{1}{2}$ E.
 18.00 a Creek 30 lks. wide co. North Low
 Banks. Slow current

- 22.00 Land wrl Land
 33.50 Elm & Ash Swamp, extensive N & E.
 40.00 G. L. Swamp, poor

- 70.00 Land Ash & Elm. Swamp
 79.75 Intermittent N & E. Line 10 lks. N. of poor

Land first 22.00 wrl second
 rate - Next 11.00 wrl good second rate -
 Next 37.00 Swamp, poor - Last 9.75 wrl
 second rate - Timber on dry Land W. Oak,
 Poplar, Sugar, Gum, Beech & Ironwood
 Undergrowth, Spice, Ironw. P. Ash & Beech.
 Timber on wet Land G. Ash, Elm & Maple.

- N 89 $\frac{1}{2}$ 25 $\frac{1}{2}$ W. Established Line Betw. Sec. 20 & 29
 14.94 a G. Ash. 10 in. diam.

456 T. 24 N. R. 7 E. 2nd Mer. Indiana.
cho. lks.

29.13 a W. Elm 20 in. diam.
39.87 Established a 2nd Sec. post p. wh.
a Sugar 20 in. diam. lks. 13 W. 8 lks. dis.
a Hickory 18 " " " 12 W. 34 " "
60.04 a Beech 20 " "
70.00 a Swamp Ash 20 "
79.75 to Sec. Co.

189.30 W. On Random Betw. Sec. 19 & 30 Run 4.40 E.
5.50 Clear wet Marshy Land
30.00 Elm & Maple Swamp, Extends S. E. & N. W.
40.00 Set Swampy post
51.50 Clear Swamp
59.00 a Creek 40 lks. wide co. N. E. low
Banks slow current
81.50 Intersected W. Boundary 10 lks. N. of post
Land first 5.00 per acre - Next
25.00 per 2nd rate - Next 25.00 Swampy poor
Last 31.50 per 2nd rate - Timber on dry
Land W. Oak, Poplar, Lyrum, Sugar, G. Ash,
& Beech. Timber in Swampy G. Ash, Elm,
and Maple - April 1. 1847
* Windy th. Spruce, P. Ash, Ironwood & Birch -

189.26 E. Established a Line Betw. Sec. 19 & 30
a Beech 10 in. diam. lks. 30 E. 11 lks. dis.
a Do 8 " " " 24 E. 20 " "
24.05 a W. Elm 20 " "
31.17 an G. Ash 10 " "
40.75 Set 2nd Sec. post p. wh.
an G. Ash 10 in. diam. lks. 55 W. 18 lks. dis.
a Do 6 " " " 31 W. 7 " "
51.19 a W. Elm 16 " "
71.64 a Beech 18 " "
81.50 to Sec. Co.

457

T. 24 N. R. 7 E. 2nd Mer. Indiana.

ch. lks.

North Between Sections 19 & 20 Var. 6.30 E.

3.00 Scar wt Land

6.15 a Sugar 15 in. diam

14.88 a Do 20 " "

24.18 a Beech 12 " "

40.00 Gr L 2nd Sec. poor p. wh.

a Beech 8 in. diam. 125 ft. 12 lks. &

a Hickory 18 " " " N. 65 E. 11 "

48.00 an Elm 10 " "

61.54 a Beech 12 " "

70.00 a Brook 40 lks. wide co. N. E. Low
Banks slow current

80.00 Established Cor. to Sec. 17, 18, 19, 20 p. wh.

a Buckeye 10 in. diam. 170 ft. 13 lks. dia.

a Red Oak 30 " " " N. 64 E. 29 " "

Land first 3.00 wt poor second
rate - Timber S. Ash. Elm. & Maple. - Last

77.00 Low, good second rate - Timber
W. Oak Sugar. Gum. Elm. Poplar. and
Beech. - Thick growth. of Spice
Ironwood. and Beech.

N. 89.30 E. On Random Betwth Sec. 17 & 20 Var. 4.40 E.

6.00 a Creek 40 lks. wide co. N. 10 E. Low
Banks slow current

16.50 a Creek 30 lks. wide - North, Low
Banks slow current

38.00 Marshy Land extends N. & S.

40.00 Gr L Temp. p. poor

56.00 Scar Marshy Land

72.00 a Road bars N. 60 E.

79.93 Intersected Sec. Line at foot

Land first 38.00 Low good
second rate - Timber Oak. Hackberry
Buckeye. Gum. Poplar and Beech.
At 18.00 Marshy poor. Timber S. Ash.

T. 24 N. R. 7 E. 2nd Mer. Indiana.
 ch. lks.

Clm. & Maple - Set 23.93 hurl 2nd
 rate - Timber W. Oak. Lym. G. Ash.
 Sugar. and Beech.

189.30th Established Lim Betw. Sed. 17. & 20

10.63 a Beech 10 in. diam.

15.79 a W. Oak 30 " "

30.18 a Lym 30 " "

39.96 Set 20. Sec. post p. wh.

a Beech 20 in. diam. $\frac{1}{4}$ 4 E. 29 lks. &

a Do 15 " " N. 7 $\frac{1}{2}$ W. 4 "

50.34 a G. Ash 16 " "

61.06 a Beech 18 " "

70.10 an Elm 18 " "

79.93 to Sec. Cor.

189.30th On Handorn Betw. Sed. 18 & 19 Nar. 4.40' E.

31.56 West Fork - on one of the forks of - Pipe
 Creek 50 lks. wide co. N. E. Low
 Bank, slow current

41.00 Set 19m p. post

54.50 a Branch 5 lks. wide co. N. E.

62.00 a Do 8 " " " N.

80.39 Interrupted W. Bound p. 10 lks. N. of post

Land this 80.39 hurl good
 second rate - Timber W. Oak. Sugar. Lym.
 Poplar and Beech - among the
 Spruce, P. Ash & Beech. Scattered

189.26th Established Lim Betw. Sed. 18 & 19

a Beech 20 in. diam. $\frac{1}{4}$ 4 E. 1.10 lks. &

a Do 16 " " " N. 22 E. 22 "

10.30 a Lym. 10 " "

20.81 a Poplar 24 " "

34.76 a Beech 12 " "

40.39 Set 20. Sec. post p. wh.

459

T. 24 N. R. 7 E. 2nd Mer. Indiana.

chs lks.

a G. Ash 24 in. diam. E. 11 W. 24 lks.
 a B. Oak 18 " " " N. 19 W. 45 "
 56.41 a Beech 12 " "
 65.60 a Sycam 20 " "
 80.39 to Sec. Cor.

North Between Sections 17 & 18 Var. 6.30' E.

12.32 a G. Ash 24 in. diam.
 16.00 a Creek 75 lks. wide co. N. E. Low
 Banks Slow Current
 22.18 a W. Oak 18 in. diam.
 24.30 a Branch 5 lks. wide co. N. E.
 39.45 a Beech 20 in. diam.
 40.00 Sel 2nd Sec. for 2 sp. wh.
 a Sugar 10 in. diam. E. N. 64 E. 10 lks. x
 a Do 16 " " " S. 62 W. 21 "
 49.19 a Beech 20 " "
 54.00 a Road cross E & W.
 61.23 a Sycam 20 in. diam.
 74.00 a W. Oak 18 " "
 80.00 Sel for Cor. to Secs. 7, 8, 17, 18. sp. wh.
 a Buckeye 7 in. diam. E. N. 21 W. 9 lks. dis.
 a Beech 10 " " " N. 47 W. 14 " "

Land this 80.00 level second
 rate. Timber W. B. Oak. Sugar. Sycam.
 Poplar. Sycam. Buckeye. Beech. - Mostly
 Spruce. Hemlock. Beech. - Scattering

N. 89.30' E. On Random Betw. Secs. 8 & 17. Var. 4.40' E.

40.00 Sel 2nd Sec. for
 50.00 One of the W. forks of Pipe Creek. 80 lks.
 wide co. N. 10 E. Low Banks Slow Current -
 54.00 a Branch 5 lks. wide co. N. W.
 79.50 Interrupted N. & S. Line 50 lks. N. of post

Land this 79.50 gently rolling
 good second rate - Timber W. B. Oak. Sycam.

T. 24 N. R. 7 E. 2nd Mer. Indiana:

cls. lks.

Poplar, R. Elm, Sugar and Beech
 Scattering Wgth of Spice Ironwood
 and Beech

89.51^W Established Line Betw. Sec. 8 & 17

15.17 a R. Elm 20 in. diam.

34.63 a Syc 20 " "

39.75 Set 2nd Sec. post p. wh.

a Sugar 8 in. diam. to N. 62 W. 14 lks. dis.

a Beech 20 " " " 4.16^W E. 55 " "

50.10 a Sycamore 24 " "

69.54 a Syc 20 " "

79.50 to Sec. Cor.

89.30^W On Random Betw. Sec. 7 & 18

Variation 4.40 East.

30.00 a Branch 8 lks. wide co. N.

37.00 a Road cross S.

38.00 a Branch 10 lks. wide co. N. E.

40.00 Set Temp. post

43.50 a Creek 20 lks. wide - Low Banks.

Slow Current

79.50 Intersected W. Boundary 10 lks. S. of post

Land this 79.50 gently rolling
 good second rate - Timber W. & B. Oak,
 G. Ash, Syc. Poplar & Beech. - Wgth.
 Spice Ironwood & Beech. Scattering

89.34^E Established Line Betw. Sec. 7 & 18

a Beech 22 in. diam. to 4.68^W E. 21 lks. &

a G. Ash 8 " " " 4.63^W N. 11 "

20.41 a Sugar 10 " "

30.16 a Beech 18 " "

39.50 Set 2nd Sec. post p. wh.

a Beech 60 in. diam. to N. 9 W. 40 lks. dis.

a W. Elm 20 " " " 9.22^E 12 " "

461

T. 24 N. R. 7 E. 2nd Mer. Indiana

See. 60.

- 57.67 a Beech 14 in. diam.
 71.06 a W. Oak 20 "
 79.30 to Sec. 60. April 2nd 1847

- North Between Sections 7 & 8 Var. 6.30' East
 8.17 a W. Elm 18 in. diam.
 19.40 a Sugar 20 "
 33.38 an S. Ash 16 "
 40.00 Set 2nd Sec. post fr. wh.
 a Hickory 20 in. diam. N. 10th E. 16th S. &
 a Do 30 " " " N. 46th W. 12 "
 50.37 an Elm 8 "
 60.00 Low wet Land extends E.
 63.00 an S. Ash 20 in. diam.
 65.00 Leave wet Land
 75.00 Low wet Land again
 80.00 Established Cor. to Secs. 5, 6, 7, 8 p. wh.
 an S. Ash 26 in. diam. N. 11th E. 37th S. &
 a Beech 14 " " " 4.38 E. 11 "

Land first 60.00 greatly rolling
 good second rate. Timber W. Oak, Poplar,
 Sugar, Beech. - Next 5.00 wet second
 rate - Next 10.00 level good second
 rate - Timber as before. Last 5.00
 wet poor second rate - Timber on wet
 land S. Ash, S. Elm, Maple, Wright,
 on dry land. Spruce, Beech, scattering

- N. 89.30' E. On Random Betwⁿ. Secs. 5 & 8 Var. 4.40' E.
 2.00 Leave wet Land
 40.00 Set Temp. post
 43.00 a Branch 5th S. wide co. N. E.
 51.00 a Do 8 " " " North
 78.00 West fork of Pipe Creek 75th S. wide co
 N. Low Banks - 3rd S. intersects with E. fork
 79.80 Intersected N. & S. Line 50th S. N. of post

T. 24 N. R. 7 E. 2nd Mer. Indiana.

Chs. Lks.

Land first 2.00 wth second
rate - Last 77.00 wth good second
rate - Timber Oak, Poplar, Sycam.
Hickory & Beech - Thin Undergrowth
of Spruce & Birch

189.51 W. Established Line Betwth Sec. 5 & 8
14.86 a Beech 16 in. diam.
30.61 a Do 20 " "
39.90 Set 2nd Sec. post p. wh.
an Ironwth 6 in. diam. p. 131 W. 6 Lks. &
a Beech 10 " " " N. 19 W. 21 "
79.80 to Sec. 60.

189.30 W. On Random Betwth Sec. 6 & 7 Var. 440 E.
4.00 a Creek 30 yds. wide co. North
Low Banks, slow current
10.00 Clear wth Land
40.00 Set Tempth post
47.00 a Branch 5 yds. wide co. N.
78.50 Interrupted W. Boundary at post

Land first 10.00 wth third
rate - Timber G. Ash, Elm & Maple.
Last 68.50 wth second rate - Timber
W. Oak, Poplar, Sycam. Sugar & Beech.
Thick Undergrowth of Spruce Ironwood
P. Ash & Birch -

189.30 E. Established Line Betwth Sec. 6 & 7
a Sugar 22 in. diam. p. 131 E. 50 Lks. &
a Maple 10 " " " N. 2 E. 56 "
18.60 a G. Ash 8 " "
28.18 a Beech 12 "
38.50 Set 2nd Sec. post p. wh.
a Sugar 24 in. diam. p. 131 E. 29 Lks.
a Beech 12 " " " G. 16 W. 2 "

463

T. 24 N. R. 7 E. 2nd Mer. Indiana;

ch. lks.

48.21 a Lym. 12 in. diam.
63.15 a W. Oak 40 " "
78.50 to Sec. Cor.

North Return Section 5 & 6. Var. 6.30' E.

45.00 1st Temp. post
50.00 Leave wt Land
71.00 Wet Land again.
76.00 Leave wt Land
78.90 Interrupted N. Bound. 20 lks. W. of post
Land first 50.00 lks wt floor
Second rate - Timber W. Oak, S. Elm, S. Ash,
Poplar & Beech. - Next 20.00 lks good
Second rate - Timber W. Oak, Sugar, Poplar,
Lym. & Beech. - Next 5.00 wt floor 2nd
rate - Timber as before, Last 2.90 lks
Second rate - Windy th. Pine, P. Ash,
Prom. & Beech. scattering

4. 8' E. Established Line Betw. Sec. 5 & 6.
a Sugar 10 in. diam. P. 949 W. 27 lks. dis.
a Do 10 " " " 938 1/2 E. 29 " "
28.60 an S. Ash 24 " "
38.90 1st 2nd Sec. post p. wh.
a Beech 20 in. diam. P. 1798, 24 lks. dis.
a Maple 24 " " " 917 W. 37 " "
48.24 an S. Elm 20 " "
63.21 a Lym 20 " "
73.65 a W. Oak 18 " "
78.90 to Sec. Cor. April 3rd 1847.

Genl. Description

The dry Land in Township
N. 24, N. of Range N. 7 E. is generally well
good second rate - a fall gently rolling

T. 24 N. R. 7 E. 2nd Mer. Indiana

same rate. The Land both wet Swampy and dry is heavy timbered; that on the dry Land W.B. Oak, Poplar & Sugar, Lym & Beech. - with thick undergrowth of Spice, P. Ash, Ironb. & Beech.

The wet Land, Swamp and Marshes, is generally thin & rate Land. The timber is maple, Swamp, Ash, Soft. Elm & Willow. The water in the Swamps and Marshes is from one to two feet deep - without any perceptible current, and from, or are the head sources of the Creek bearing Northward through the Township - The Creeks are wide for the quantity of water that passes or flows along in their channels, with a sluggish current: The Banks are low and miry - and frequently wet Land, and Marshes, extend considerable distance from the channels -

I Abner E. Van Ness, Deputy Surveyor, do solemnly swear that in pursuance of a Contract dated the twentieth day of May 1846 with Lucius Lyon Suror. Genl. of the United States for Ohio, Indiana and Michigan, and in strict conformity to the laws of the United States, and instructions of said Suror. Genl. - I have regularly surveyed and subdivided into Sections fractional Township N. 24 North, of Range N. 7 E. of the Second Principal Meridian in the State of Indiana.

And I do further solemnly swear that the foregoing are the true and

1165

T. 24 N. R. 7 E. 2nd Mer. Indiana

original Field Notes of the said
Survey and Subdivision Executed
as aforesaid

Abner E. Van Ness
Depy. Surveyor.

Subscribed and sworn to
before me this 27th day of May 1847
Jas. W. Dunn
Justice of the Peace

Justus Miners }
James Bell } Chairmen

Jerome N. Gunier - Marker

I certify that the foregoing
Transcript of the Field Notes of Tract
Township No. 24 North in Range
No. 7 East - 2nd Meridian Indiana,
has been compared with the Orig-
inal notes in this office, and
found to be correct -

Suro^r. Genl. Office }
Detroit Nov. 21. 1849. }

Lucius Lyon,
Sul. Genl.